



State of New Jersey
Department of Human Services
Division of Medical Assistance & Health Services

NEWSLETTER

Volume 23 No. 09

May 2013

TO: Physicians, Advanced Practice Nurses, FQHCs, Independent Clinical Laboratories, Independent Clinics, Nurse Midwives, Medical Suppliers, and Health Maintenance Organizations –
FOR ACTION

SUBJECT: **Preventive Care Services Guidelines and Modifier “33”
(Affordable Care Act Section 4106)**

EFFECTIVE: Certain healthcare claims with service dates on or after April 1, 2013

PURPOSE: To notify Providers about the specified preventive care services assigned a grade of A and B by the United States Preventive Services Task Force (USPSTF), and approved vaccines and their administration, recommended by the Advisory Committee on Immunization Practices (ACIP). Preventive care services include adults and pregnant women over 21 years old. The USPSTF A and B Recommendations may be found at:

<http://www.uspreventiveservicestaskforce.org/uspstf/uspsabrecs.htm>

BACKGROUND: Section 4106(b) of the Affordable Care Act, the health insurance reform legislation passed by Congress and signed into law by President Obama on March 23, 2010, helps make prevention affordable and accessible for all Americans by requiring health plans to cover preventive care services and eliminating cost sharing.

ACTION: Payments for claims with services dates on or after April 1, 2013, identified in the attached **“Preventive Care Services Guidelines”** provides guidance that providers may reference for billing purposes. Refer to the Agency for Healthcare Research and Quality (AHRQ) “The Guide to Clinical Preventive Services - 2012 Recommendation of the U.S. Preventive Services Task Force for detailed recommendation clinical summaries which can be found at:

<http://www.ahrq.gov/professionals/clinicians-providers/guidelines-recommendations/guide/guide-clinical-preventive-services.pdf>

Modifier 33 - Preventive Care Service

When the primary purpose of the service is the delivery of an evidence-based service in accordance with a US Preventive Services Task Force A and B rating in effect and other preventive care services identified in preventive care services mandates (legislative or regulatory), the service may be identified by modifier 33 to the procedure.

If you have any questions concerning this Newsletter, please contact Molina Medicaid Solutions (formerly Unisys) Provider Services at 800-776-6334 or

<http://www.njmmis.com/>

RETAIN THIS NEWSLETTER FOR FUTURE REFERENCE



PREVENTIVE CARE SERVICES GUIDELINES

ADULT

USPSTF A and B Recommendations	Service Description	CPT Code	ICD-9 Diagnosis Code (All Positions)	Criteria
<i>Aspirin to Prevent Cardiovascular Disease: Men and Women</i>	The use of aspirin for men age 45 to 79 and women age 55 to 79 years when the potential benefit due to a reduction in myocardial infarctions outweighs the potential harm due to an increase in gastrointestinal hemorrhage.	99386 33 99387 33 99396 33 99397 33	V81.2	A preventive service when billed with one of the listed procedure code AND diagnosis code.
<i>Blood Pressure Screening in Adults</i>	Screening for high blood pressure in adults aged 18 and older.	99385 33 99386 33 99387 33 99395 33 99396 33 99397 33	V81.1	A preventive service when billed with one of the listed procedure code and/or diagnosis code.
<i>Skin Cancer Behavioral Counseling</i>	Counseling children, adolescents, and young adults aged 10 to 24 years who have fair skin about minimizing their exposure to ultraviolet radiation to reduce risk for skin cancer.	99385 33 99395 33	V76.43	A preventive service when billed with one of the listed procedure code and/or diagnosis code



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p>Falls Prevention in Older Adults: Exercise, Physical Therapy, or Vitamin D</p>	<p>Exercise, physical therapy, or Vitamin D supplement to prevent falls in <u>community-dwelling</u> (To be identified by Special Program Code (SPC) at time of Managed Long Term Services and Supports (MLTSS) implementation) adults aged 65 years or older who are at increased risk for falls.</p>	<p>99387 99397 97799 33</p>	<p>V57.1</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>
<p>Depression Screening: Adult</p>	<p>Screening adults for depression when staff-assisted depression care supports are in place to assure accurate diagnosis, effective treatment, and follow-up.</p>	<p>G0444 33</p>	<p>V79.0</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>
<p>Abdominal Aortic Aneurysm Screening: Men</p>	<p>One-time screening for abdominal aortic aneurysm (AAA) by ultrasonography in men aged 65 to 75 who have ever smoked.</p>	<p>76700 33 76705 33 76770 33 76775 33 G0389 33</p>	<p>V15.82</p>	<p>A preventive service when billed with one of the listed procedure code AND diagnosis code.</p>



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p>Alcohol Misuse Counseling</p>	<p>Screening and behavioral counseling interventions to reduce alcohol misuse by adults, including pregnant women, in primary care settings</p>	<p>99408 99409 G0442 G0443 33 G0396 33 G0397 33</p>	<p>V79.1</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code</p>
<p>Tobacco Use Counseling and Interventions: Non-pregnant Adults</p>	<p>Clinicians ask all adults about tobacco use and provide tobacco cessation interventions for those who use tobacco products.</p>	<p>99406 99407</p>	<p>V15.82</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>
<p>Cholesterol Abnormalities Screening: Men and Women</p>	<p>Men age 35 and older: or age 20-35 if risk factors for coronary heart disease are present.</p> <hr/> <p>Women age 45 and older: or age 20-45 if risk factors for coronary heart disease are present.</p>	<p>80061 33 82465 33 83718 33 83719 33 83721 33 84478 33</p>	<p>V77.91</p> <hr/> <p>V81.2</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p> <hr/> <p>A preventive service when billed with one of the listed procedure code AND diagnosis code for men 20-35 years old or women 20-45 years old.</p>
<p>Obesity screening and counseling</p>	<p>Screen all adults for obesity. Clinicians should offer or refer patients with a body mass index of 30 kg/m2 or higher to intensive, multi-component behavioral interventions.</p>	<p>G0447 33</p>	<p>V77.8 V85.0 - V85.45</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p>Colorectal Cancer Screening</p>	<p>Screening for colorectal cancer using fecal occult blood testing, sigmoidoscopy, or colonoscopy, in adults, beginning at age 50 years and continuing until age 75 years. The risks and benefits of these screening methods vary</p>	<p>82270 33 82274 33 G0104 33 G0105 33 G0121 33 G0328 33 44388 33 - 44397 33 45330 33 45331 33 45333 33 45334 33 45338 33 45339 33 45378 33 45380 33 - 45392 33 74263 33</p>	<p>V76.41 V76.51</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>
<p>Diabetes Screening</p>	<p>Screening for type 2 diabetes in asymptomatic adults with sustained blood pressure (either treated or untreated) greater than 135/80mm Hg.</p>	<p>82947 33 83036 33 82950 33 82951 33 82952 33</p>	<p>V77.1</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>
<p>Healthy Diet Counseling</p>	<p>Intensive behavioral dietary counseling for adult patients with hyperlipidemia and other risk factors for cardiovascular and diet-related chronic disease. Intensive counseling delivered by primary care clinicians or by referral to specialists, as a nutritionists or dietitians.</p>	<p>97802 33 97803 33 G0446 33</p>	<p>278.00 - 278.02 272.4 V81.2</p>	<p>A preventive service when billed with one of the listed procedure code AND diagnosis code.</p>



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p>HIV Screening: Adolescent and Adult</p>	<p>Clinicians screen for HIV in all adolescents and adults at increased risk of HIV infection.</p>	<p>86701 33 - 86703 33 87389 33 - 87391 33 G0432 33 -G0433 33 G0435 33</p>	<p>V02.9 V73.89 V75.9 V65.44</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>
<p>Sexually Transmitted Infections Counseling</p>	<p>High-intensity behavioral counseling to prevent sexually transmitted infections (STIs) for all sexually active adolescents and for adults at increased risk for STIs.</p>	<p>G0445 33</p>	<p>V65.45</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>
<p>Syphilis Screening: Non-pregnant Persons</p>	<p>Clinicians screen persons at increased risk for syphilis infection.</p>	<p>86592 33</p>	<p>V74.5</p>	<p>A preventive service when billed with one of the listed procedure code and/or diagnosis code.</p>

Adult Vaccine (ACIP recommended)

<p>Influenza</p>	<p>90654, 90656, 90658, 90660</p>
<p>Tetanus, diptheria, pertussis (Td/Tdap)</p>	<p>90714, 90715</p>
<p>Varicella</p>	<p>90716</p>
<p>HPV (Women only)</p>	<p>90650</p>
<p>HPV (Women and Men)</p>	<p>90649</p>
<p>Zoster</p>	<p>90736</p>
<p>Measles, mumps, rubella (MMR)</p>	<p>90707</p>
<p>Pneumococcal</p>	<p>90732</p>
<p>Meningococcal</p>	<p>90644, 90733, 90734</p>
<p>Hepatitis A</p>	<p>90632, 90633, 90636</p>
<p>Hepatitis B</p>	<p>90740, 90746, 90747</p>



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p>Anemia Screening Pregnant Women</p>	<p>Routine screening for iron deficiency anemia in asymptomatic pregnant women.</p>	<p>80055 33 82728 33 85004 33-85041 33</p>	<p>V22.0 - V23.9</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>
<p>Breastfeeding support, supplies, and counseling</p>	<p>Interventions during pregnancy and after birth to promote and support breastfeeding.</p> <p>Comprehensive lactation support and counseling, by a trained provider during pregnancy and/or in the postpartum period, and costs for renting breastfeeding equipment. In conjunction with each birth.</p>	<p>59425 33 59426 33 59430 33 W9025 33 W9026 33 W9028 33</p> <p>E0602 E0603 E0604</p>	<p>V22.0 - V23.9 676.4 676.8 V24.1</p>	<p>A preventive service when billed with one of the listed procedure codes and/or diagnosis code.</p>
<p>Alcohol Misuse Counseling</p>	<p>Screening and behavioral counseling interventions to reduce alcohol misuse by adults, including pregnant women, in primary care settings.</p>	<p>99408 99409 G0442 G0443 33 G0396 33 G0397 33</p>	<p>V22.0 - V23.9</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p><i>Tobacco Use Counseling and Interventions: Pregnant Women</i></p>	<p>Clinicians ask all pregnant women about tobacco use and provide augmented, pregnancy-tailored counseling for those who smoke.</p>	<p>99406 99407</p>	<p>V22.0 - V23.9</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>
<p><i>Bacteriuria Screening Pregnant Women</i></p>	<p>Screening for asymptomatic bacteriuria with urine culture for pregnant women at 12 to 16 weeks' gestation or at the first prenatal visit, if later.</p>	<p>81007 33 87086 33 87088 33</p>	<p>V22.0 - V23.9</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>
<p><i>BRCA Screening, Counseling</i></p>	<p>Women whose family history is associated with an increased risk for deleterious mutations in BRCA1 or BRCA2 genes be referred for genetic counseling and evaluation for BRCA testing.</p>	<p>96040 33</p>	<p>V10.3 V16.3 V26. 33 V84.01</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>
<p><i>Breast Cancer Screening Mammography</i></p>	<p>Mammography, with or without clinical breast examination (CBE), every 1-2 years for women aged 40 years and older.</p>	<p>G0202 77052 77057</p>	<p>V76.10 V76.19</p>	<p>A preventive service when billed with one of the listed procedure codes and/or diagnosis code.</p>



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p>STI Counseling</p>	<p>Annual counseling on sexually transmitted infections for sexually active women.</p>	<p>G0445 33</p>	<p>V65.45</p>	<p>A preventive service when billed with one of the listed procedure codes and/or diagnosis code.</p>
<p>Cervical Cancer Screening (Pap Smear)</p>	<p>Screening for cervical cancer in women ages 21 to 65 years with cytology (Pap smear) every 3 years or, for women ages 30 to 65 years who want to lengthen the screening interval, screening with a combination of cytology and human papillomavirus (HPV) testing every 5 years.</p>	<p>G0101 G0123 G0141 Q0091 P3000 88141 33 - 88143 33 88147 33 –88148 33 88150 33 88152 33 - 88155 33 88164 33 - 88167 33 88174 33 - 88175 33</p>	<p>V76.2 V72.31 V73.81</p>	<p>A preventive service when billed with one of the listed procedure codes and/or diagnosis code.</p>
<p>PAP DNA Testing</p>	<p>The addition of high-risk human papillomavirus DNA testing in addition to cytology testing in women with normal cytology results. Screening should begin at 30 years of age and should occur no more frequently than every 3 years.</p>	<p>87620 33 87621 33 87622 33</p>	<p>V73.81</p>	<p>A preventive service when billed with one of the listed procedure codes and/or diagnosis code.</p>
<p>Syphilis Screening: Pregnant Women</p>	<p>Clinicians screen all pregnant women for syphilis infection.</p>	<p>80055 33 86592 33</p>	<p>V22.0 - V23.9</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

Chlamydia Infection Screening Non-Pregnant Women Pregnant Women	Screening for chlamydial infection for all sexually active non-pregnant young women aged 24 and younger and for older non-pregnant women who are at increased risk.	86631 33 86632 33 87110 33 87270 33 87320 33 87490 33 87491 33 87810 33	V73.88 V73.98	A preventive service when billed with one of the listed procedure codes and/or diagnosis code.
	Screening for chlamydial infection for all pregnant women aged 24 and younger and for older pregnant women who are at increased risk.			V22.0 - V23.9
Gonorrhea Screening	Screen all sexually active women, including those who are pregnant, for gonorrhea infection if they are at increased risk for infection (that is, if they are young or have other individual or population risk factors).	87850 33 87590 33 - 87592 33	V74.5	A preventive service when billed with one of the listed procedure codes and/or diagnosis code.
				V22.0 - V23.9
Screening for gestational diabetes	In pregnant women between 24 and 28 weeks of gestation and at the first prenatal visit for pregnant women identified to be at high risk for diabetes.	82947 33 83036 33	V22.0 -V23.9 V77.1	A preventive service when billed with one of the listed procedure codes and a V22.0-V23.9 AND V77.1 diagnosis codes.



State of New Jersey

DEPARTMENT OF HUMAN SERVICES
DIVISION OF MEDICAL ASSISTANCE AND HEALTH SERVICES

<p>Hepatitis B Screening: Pregnant Women</p>	<p>Screening for Hepatitis B Virus (HBsAg) infection in pregnant women at their first prenatal visit.</p>	<p>80055 33 87340 33 87341 33</p>	<p>V22.0 - V23.9</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>
<p>RH Incompatibility Screening: First Pregnancy Visit</p> <p>RH Incompatibility Screening: 24-28 Weeks' Gestation</p>	<p>Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care.</p> <p>Repeated Rh (D) antibody testing for all unsensitized Rh (D) - negative women at 24-28 weeks' gestation, unless the biological father is known to be Rh (D) -negative.</p>	<p>80055 33 86900 33 86901 33</p>	<p>V22.0 - V23.9</p>	<p>A preventive service when billed with one of the listed procedure codes AND diagnosis code.</p>
<p>Osteoporosis Screening: Women</p>	<p>Screening for osteoporosis in women age 65 and older, and in younger women whose fracture risk is equal to or greater than that of a 65-year-old white women who has no additional risk factors.</p>	<p>76977 33 77078 33 77080 33 77081 33 G0130 33</p>	<p>V82.81</p>	<p>A preventive service when billed with one of the listed procedure codes and/or diagnosis code.</p>